Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. S. Bretscher
C. R. Cantor
P. Chambon
W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
K. Simons

VOLUME 146

15 February to 15 March 1981

ACADEMIC PRESS
London New York San Francisco

Copyright © 1981, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 146

Number 1, 15 February 1981

Ikemura, T., Correlation between the Abundance of *Escherichia coli* Transfer RNAs and the Occurrence of the Respective Codons in its Protein Genes 1

Hall, M. N. and Silhavy, T. J., The *ompB* Locus and the Regulation of the Major Outer Membrane Porin Proteins of *Escherichia coli* K12 . . 23

Nichols, B. P., van Cleemput, M. and Yanofsky, C., Nucleotide Sequence of *Escherichia coli trpE*. Anthranilate Synthetase Component I Contains no Tryptophan Residues 45

Murray, V. and Holliday, R., Increased Error Frequency of DNA Polymerases from Senescent Human Fibroblasts 55

DeRosier, D. J. and Censullo, R., Structure of F-actin Needles from Extracts of Sea Urchin Oocytes 77

Appendix 95

Salemme, F. R. and Weatherford, D. W., Conformational and Geometrical Properties of β-sheets in Proteins. I. Parallel β-Sheets 101

Salemme, F. R. and Weatherford, D. W., Conformational and Geometrical Properties of β-Sheets in Proteins. II. Antiparallel and Mixed β-Sheets 119

Salemme, F. R., Conformational and Geometrical Properties of β-Sheets in Proteins. III. Isotropically Stressed Configurations 143

Letters to the Editor

Abraham, J. and Echols, H., Regulation of *int* Gene Transcription by Bacteriophage λ. Location of the RNA Start Generated by an *int* Constitutive Mutation 157

Piekarowicz, A., Bickle, T. A., Shepherd, J. C. W. and Ineichen, K., The DNA Sequence Recognized by the *Hin*fIII Restriction Endonuclease 167

McGinness, T. and Wake, R. G., A Fixed Amount of Chromosome Replication Needed for Premature Division Septation in *Bacillus subtilis* 173

Number 2, 25 February 1981

Schäfer, M., Wyman, A. R. and White, R., Length Variation in the Non-transcribed Spacer of *Calliphora erythrocephala* Ribosomal DNA is due to a 350 Base-pair Repeat 179

BENNETT, P. M., The Structure of Spindle-shaped Paracrystals of Light Meromyosin 201

FARBER, N. M. and CANTOR, C. R., A Slow Tritium Exchange Study of the Solution Structure of *Escherichia coli* 5 S Ribosomal RNA . . . 223

FARBER, N. M. and CANTOR, C. R., Accessibility and Structure of Ribosomal RNA Monitored by Slow Tritium Exchange of Ribosomes . . . 241

LETTERS TO THE EDITOR

PARRY, D. A. D., Analysis of the Amino Acid Sequence of a Tropomyosin-binding Fragment from Troponin-T 259

BHARGAVA, P. M., REDDY, E. S. P., SITARAM, N. and SCHEIT, K. H., Amino Acid Composition of RNAase from Seminal Plasma: a Correction . 265

D'ALLESSIO, G., DI DONATO, A., FURIA, A., LEONE, E., LIBONATI, M., PARENTE, A. and SUZUKI, H., Bull Semen RNAase Revisited . . 269

NUMBER 3, 5 MARCH 1981

SCHULTZ, D. W., SWINDLE, J. and SMITH, G. R., Clustering of Mutations Inactivating a Chi Recombinational Hotspot 275

LEVINGER, L., BARSOUM, J. and VARSHAVSKY, A., Two-dimensional Hybridization Mapping of Nucleosomes. Comparison of DNA and Protein Patterns 287

TORBET, J., GRAY, D. M., GRAY, C. W., MARVIN, D. A. and SIEGRIST, H., Structure of the fd DNA–Gene 5 Protein Complex in Solution. A Neutron Small-angle Scattering Study 305

GOTO, Y. and HAMAGUCHI, K., Formation of the Intrachain Disulfide Bond in the Constant Fragment of the Immunoglobulin Light Chain . . . 321

GILLILAND, G. L. and QUIOCHO, F. A., Structure of the L-Arabinose-binding Protein from *Escherichia coli* at 2·4 Å Resolution 341

GIACOMETTI, G. M., ASCENZI, P., BOLOGNESI, M. and BRUNORI, M., Reactivity of Ferric *Aplysia* Myoglobin towards Anionic Ligands in the Acidic Region 363

CREIGHTON, T. E. and DYCKES, D. F., Refolding of *S*-Methylmethionyl Basic Pancreatic Trypsin Inhibitor 375

LETTER TO THE EDITOR

FOOTE, A. M., WINKLER, F. K. and MOODY, M. F., Crystallization and Preliminary X-ray Study of the Catalytic Subunit of Aspartate Transcarbamylase 389

NUMBER 4, 15 MARCH 1981

GOLDFARB, A. and DANIEL, V., Mapping of Transcription Units in the Bacteriophage T4 tRNA Gene Cluster 393

PARKS, L. C., DICKER, D. T., CONGER, A. D., DANEO-MOORE, L. and HIGGINS, M. L., Effect of Chromosomal Breaks Induced by X-Irradiation on the Number of Mesosomes and the Cytoplasmic Organization of *Streptococcus faecalis* 413

KINGSTON, R. E., GUTELL, R. R., TAYLOR, A. R. and CHAMBERLIN, M. J., Transcriptional Mapping of Plasmid pKK3535. Quantitation of the Effect of Guanosine Tetraphosphate on Binding to the *rrn*B Promoters and a λ Promoter with Sequence Homologies to the CII Binding Region 433

BARKER, D. F. and CAMPBELL, A. M., The *birA* Gene of *Escherichia coli* Encodes a Biotin Holoenzyme Synthetase 451

BARKER, D. F. and CAMPBELL, A. M., Genetic and Biochemical Characterization of the *birA* Gene and Its Product: Evidence for a Direct Role of Biotin Holoenzyme Synthetase in Repression of the Biotin Operon in *Escherichia coli* 469

KATSURA, I., Structure and Function of the Major Tail Protein of Bacteriophage Lambda. Mutants Having Small Major Tail Protein Molecules in Their Virion 493

CARON, F. and THOMAS, J. O., Exchange of Histone H1 Between Segments of Chromatin 513

YANAGIDA, T., Angles of Nucleotides Bound to Cross-bridges in Glycerinated Muscle Fiber at Various Concentrations of ϵ-ATP, ϵ-ADP and ϵ-AMPPNP Detected by Polarized Fluorescence 539

EKLUND, H., SAMAMA, J.-P., WALLÉN, L., BRÄNDÉN, C-I., ÅKESON, Å. and JONES, T. A., Structure of a Triclinic Ternary Complex 9f Horse Liver Alcohol Dehydrogenase at 2·9 Å Resolution 561

MAYO, K. H., Carp Hemoglobin. Functional Analysis and Thermodynamics of Precise Oxygen Equilibria According to the Simple Sequential Model of Koshland, Némethy and Filmer 589

Appendix: Derivation of ΔG_1 for the KNF model 607

LETTERS TO THE EDITOR

FRANKEL, A. D. and SMITH, H. O., Restriction and Modification Enzymes Detect No Allosteric Changes in DNA with Bound *lac* Repressor or RNA Polymerase 611

GRAY, G. W., BROWN, R. S. and MARVIN, D. A., Adsorption Complex of Filamentous fd Virus 621

HEUSS, K. L., MOHANA RAO, J. K. and ARGOS, P., Crystallization of Belladonna Mottle Virus 629

HEUSS, K. L., MOHANA RAO, J. K. and ARGOS, P., Crystallization of Cowpea Chlorotic Mottle Virus 635

SMIT, J. D. G. and WINTERHALTER, K. H., Crystallographic Data for Haemoglobin from the Lanceolate Fluke *Dicrocoelium dendriticum* 641

Index to Volume 146

ABRAHAM, J. & ECHOLS, H., Regulation of *int* gene transcription by bacteriophage λ. Location of the RNA start generated by an *int* constitutive mutation, 157
Adsorption complex of filamentous fd virus, 621
ÅKESON, Å. (see also EKLUND, H.), 561
Allosteric changes not detected by restriction and modification enzymes in DNA with bound *lac* repressor or RNA polymerase, 611
Amino acid composition of RNAase from seminal plasma: a correction, 265
— — sequence of a tropomyosin-binding fragment from troponin-T, 259
Angles of nucleotides bound to cross-bridges in glycerinated muscle fiber at various concentrations of ε-ATP, ε-ADP and ε-AMPPNP detected by polarized fluorescence, 539
Anthranilate synthetase component I contains no tryptophan residues; nucleotide sequence of *Escherichia coli trpE*, 45
Aplysia myoglobin, ferric, reactivity towards anionic ligands in the acidic region; proposal for a structural model, 363
ARGOS, P. (see also HEUSS, K. L.), 629, 635
ASCENZI, P. (see also GIACOMMETI, G. M.), 363
Aspartate transcarbamylase, crystallization and preliminary X-ray study of the catalytic subunit, 389

Bacillus subtilis, a fixed amount of chromosome replication needed for premature division septation, 173
Bacteriophage λ regulation of *int* gene transcription. Location of the RNA start generated by an *int* constitutive mutation, 157
— lambda, structure and function of the major tail protein; mutants having small major tail protein molecules in their virion, 493
— T4, mapping of transcription units in the tRNA gene cluster, 393
BARKER, D. F. & CAMPBELL, A. M., The *birA* gene of *Escherichia coli* encodes a biotin holoenzyme synthetase, 451
— — — —, Genetic and biochemical characterization of the *birA* gene and its product: evidence for a direct role of biotin holoenzyme synthetase in repression of the biotin operon in *Escherichia coli*, 469
BARSOUM, J. (see also LEVINGER, L.), 287
Belladonna mottle virus, crystallization, 629
BENNETT, P. M., The structure of spindle-shaped paracrystals of light meromyosin, 201
β-sheets in proteins, conformational and geometrical properties; antiparallel and mixed β-sheets, 119
— — —, — — — —; isotropically stressed configurations, 143
— — — —, — — — —; parallel β-sheets, 101
BHARGAVA, P. M., REDDY, E. S. P., SITARAM, N. & SCHEIT, K. H., Amino acid composition of RNAase from seminal plasma: a correction, 265
BICKLE, T. A. (see also PIEKAROWICZ, A.), 167
Biotin holoenzyme synthetase, evidence for its direct role in repression of the biotin operon in *Escherichia coli*; genetic and biochemical characterization of the *birA* gene and its product, 469
— — — is encoded by the *birA* gene of *Escherichia coli*, 451
birA gene and its product, genetic and biochemical characterization; evidence for a direct role of biotin holoenzyme synthetase in repression of the biotin operon in *Escherichia coli*, 469
— — of *Escherichia coli* encodes a biotin holoenzyme synthetase, 451
BOLOGNESI, M. (see also GIACOMETTI, G. M.), 363
BRÄNDÉN, C-I. (see also EKLUND, H.), 561
BROWN, R. S. (see also GRAY, G. W.), 621
BRUNORI, M. (see also GIACOMETTI, G. M.), 363
Bull semen RNAase revisited, 269

Calliphora erythrocephala ribosomal DNA, length variation in the non-transcribed spacer is due to a 350 base-pair repeat, 179

Campbell, A. M. (see also Barker, D. F.), 451, 469
Cantor, C. R. (see also Farber, N. M.), 223, 241
Caron, F. & Thomas, J. O., Exchange of histone H1 between segments of chromatin, 513
Carp hemoglobin. Functional analysis and thermodynamics of precise oxygen equilibria according to the simple sequential model of Koshland, Némethy and Filmer, 589
Catalytic subunit of aspartate transcarbamylase, crystallization and preliminary X-ray study, 389
Censullo, R. (see also Derosier, D. J.), 77
Chamberlin, M. J. (see also Kingston, R. E.), 433
Chi recombinational hotspot, clustering of inactivating mutations, 275
Chromatin, exchange of histone H1 between segments, 51
Chromosomal breaks induced by X-irradiation, effect on the number of mesosomes and the cytoplasmic organization of *Streptococcus faecalis*, 413
Chromosome replication, a fixed amount needed for premature division septation in *Bacillus subtilis*, 173
Codon occurrence in protein genes, correlation with the abundance of *Escherichia coli* tRNAs, 1
Conformational and geometrical properties of β-sheets in proteins. I. Parallel sheets, 101
———————. II. Antiparallel and mixed β-sheets, 119
———————. III. Isotropically stressed configurations, 143
Conger, A. D. (see also Parks, L. C.), 413
Cowpea chlorotic mottle virus, crystallization, 635
Creighton, T. E. & Dyckes, D. F., Refolding of *S*-methylmethionyl basic pancreatic trypsin inhibitor, 375
Crystallization of belladonna mottle virus, 629
— of cowpea chlorotic mottle virus, 635
— and preliminary X-ray study of the catalytic subunit of aspartate transcarbamylase, 389
Crystallographic data for haemoglobin from the lanceolate fluke *Dicrocoelium dendriticum*, 641
Cytoplasmic organization and the number of mesosomes of *Streptococcus faecalis*, effect of chromosomal breaks induced by X-irradiation, 413

D'Allessio, G., Di Donato, A., Furia, A., Leone, E., Libonati, M., Parente, A. & Suzuki, H., Bull semen RNAase revisited, 269
Daneo-Moore, L. (see also Parks, L. C.), 413
Daniel, V. (see also Goldfarb, A.), 393
DNA, fd, structure of the complex with gene *5* protein in solution; a neutron small-angle scattering study, 305
— polymerases from senescent human fibroblasts show increased error frequency, 55
— and protein patterns, a comparison; two-dimensional hybridization mapping of nucleosomes, 287
—, ribosomal, of *Calliphora erythrocephala*, length variation in the non-transcribed spacer is due to a 350 base-pair repeat, 179
— sequence recognized by the *Hin*fIII restriction endonuclease, 167
— with bound *lac* repressor or RNA polymerase, restriction and modification enzymes detect no allosteric changes, 611
Derosier, D. J. & Censullo, R., Structure of F-actin needles from extracts of sea urchin oocytes, 77
Di Donato, A. (see also D'Allessio, G.), 269
Dicker, D. T. (see also Parks, L. C.), 413
Dicrocoelium dendriticum, lanceolate fluke: crystallographic data for haemoglobin, 641
Disulfide bond, intrachain, formation in the constant fragment of the immunoglobulin light chain, 321
Division septation, premature, in *Bacillus subtilis*, a fixed amount of chromosome replication is needed, 173
Dyckes, D. F. (see also Creighton, T. E.), 375

Echols, H. (see also Abraham, J.), 157
Eklund, H., Samama, J.-P., Wallen, L., Brändén, C-I., Åkeson, Å. & Jones, T. A., Structure of a triclinic ternary complex 9f horse liver alcohol dehydrogenase at 2·9 Å resolution, 561
Enzymes, restriction and modification, detect no allosteric changes in DNA with bound *lac* repressor or RNA polymerase, 611
ϵ-ATP, ϵ-ADP and ϵ-AMPPNP, angles of nucleotides bound to cross-bridges in glycerinated muscle fiber at various concentrations of, detected by polarized fluorescence, 539
Error frequency, increased, of DNA polymerases from senescent human fibroblasts, 55
Escherichia coli, the *birA* gene encodes a biotin holoenzyme synthetase, 451

——, evidence for a direct role of biotin holoenzyme synthetase in repression of the biotin operon; genetic and biochemical characterization of the *birA* gene and its product, 469
—— K12, the *ompB* locus and the regulation of the major outer membrane porin proteins, 23
—— 5 S ribosomal RNA, a slow tritium exchange study of the solution structure, 223
——, structure of the L-arabinose-binding protein at 2·4 Å resolution, 341
—— tRNAs, correlation between their abundance and the occurrence of the respective codons in its protein genes, 1
—— *trpE* nucleotide sequence: anthranilate synthetase component I contains no tryptophan residues, 45
F-actin needles from extracts of sea urchin oocytes, structure, 77
FARBER, N. M. & CANTOR, C. R., A slow tritium exchange study of the solution structure of *Escherichia coli* 5 S ribosomal RNA, 223
fd DNA–gene *5* protein complex, structure in solution; a neutron small-angle scattering study, 305
— filamentous virus adsorption complex, 621
Ferric *Aplysia* myoglobin, reactivity towards anionic ligands in the acidic region; proposal for a structural model, 363
Fibroblasts, human, senescent, increased error frequency of DNA polymerases, 55
Filamentous fd virus adsorption complex, 621
Fluorescence, polarized, study of angles of nucleotides bound to cross-bridges in glycerinated muscle fiber at various concentrations of ϵ-ATP, ϵ-ADP and ϵ-AMPPNP, 539
FOOTE, A. M., WINKLER, F. K. & MOODY, M. F., Crystallization and preliminary X-ray study of the catalytic subunit of aspartate transcarbamylase, 389
FRANKEL, A. D. & SMITH, H. O., Restriction and modification enzymes detect no allosteric changes in DNA with bound *lac* repressor or RNA polymerase, 611
FURIA, A. (see also D'ALLESSIO, G.), 269

Gene, *birA*, and its product, genetic and biochemical characterization; evidence for a direct role of biotin holoenzyme synthetase in repression of the biotin operon in *Escherichia coli*, 469
—— of *Escherichia coli* encodes a biotin holoenzyme synthetase, 451
— cluster, tRNA, of bacteriophage T4, mapping of transcription units, 393
— codon occurrence, correlation with the abundance of *Escherichia coli* tRNAs, 1
—, *int*, regulation of transcription by bacteriophage λ. Location of the RNA start generated by an *int* constitutive mutation, 157
— *5* protein–fd DNA complex, structure in solution; a neutron small-angle scattering study, 305
Genetic and biochemical characterization of the *birA* gene and its product: evidence for a direct role of biotin holoenzyme synthetase in repression of the biotin operon in *Escherichia coli*, 469
GIACOMETTI, G. M., ASCENZI, P., BOLOGNESI, M. & BRUNORI, M., Reactivity of ferric *Aplysia* myoglobin towards anionic ligands in the acidic region, 363
GILLILAND, G. L. & QUIOCHO, F. A., Structure of the L-arabinose-binding protein from *Escherichia coli* at 2·4 Å resolution, 341
Glycerinated muscle fiber, angles of nucleotides bound to cross-bridges, at various concentrations of ϵ-ATP, ϵ-ADP and ϵ-AMPPNP detected by polarized fluorescence, 539
GOLDFARB, A. & DANIEL, V., Mapping of transcription units in the bacteriophage T4 tRNA gene cluster, 393
GOTO, Y. & HAMAGUCHI, K., Formation of the intrachain disulfide bond in the constant fragment of the immunoglobulin light chain, 321
GRAY, C. W. (see also TORBET, J.), 305
—, D. M. (see also TORBERT, J.), 305
—, G. W., BROWN, R. S. & MARVIN, D. A., Adsorption complex of filamentous fd virus, 621
Guanosine tetraphosphate, quantitation of its effect on binding to the *rrn*B promoters and a λ promoter with sequence homologies to the CII binding region; transcriptional mapping of plasmid pKK3535, 433
GUTEL, R. R. (see also KINGSTON, R. E.), 433

HALL, M. N. & SILHAVY, T. J., The *ompB* locus and the regulation of the major outer membrane porin proteins of *Escherichia coli* K12, 23
HAMAGUCHI, K. (see also GOTO, Y.), 321
Hemoglobin of carp; functional analysis and thermodynamics of precise oxygen equilibria according to the simple sequential model of Koshland, Némethy and Filmer, 589

— from the lanceolate fluke *Dicrocoelium dendriticum*, crystallographic data, 641
Heuss, K. L., Mohana Rao, J. K. & Argos, P., Crystallization of belladonna mottle virus, 629
Higgins, M. L. (see also Parks, L. C.), 413
*Hin*fIII restriction endonuclease recognition of DNA sequence, 167
Histone H1, exchange between segments of chromatin, 513
Holliday, R. (see also Murray, V.), 55
Horse liver alcohol dehydrogenase, structure of a triclinic ternary complex at 2·9 Å resolution, 561
Human fibroblasts, senescent, increased error frequency of DNA polymerases, 55
Hybridization mapping, two-dimensional, of nucleosomes. Comparison of DNA and protein patterns, 287
Ikemura, T., Correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons in its protein genes, 1
Immunoglobulin light chain, formation of the intrachain disulfide bond in the constant fragment, 321
Ineichen, K. (see also Piekarowicz, A.), 167
int gene transcription regulation by bacteriophage lambda. Location of the RNA start generated by an *int* constitutive mutation, 157

Katsura, I., Structure and function of the major tail protein of bacteriophage lambda. Mutants having small major tail protein molecules in their virion, 493
Kingston, R. E., Gutell, R. R., Taylor, A. R. & Chamberlin, M. J., Transcriptional mapping of plasmid pKK3535. Quantitation of the effect of guanosine tetraphosphate on binding to the *rrn*B promoters and a λ promoter with sequence homologies to the CII binding region, 433
Koshland–Némethy–Filmer simple sequential model: functional analysis and thermodynamics of precise oxygen equilibria for carp hemoglobin, 589

λ (see also Bacteriophage), 157, 493
λ promoter with sequence homologies to the CII binding region, and *rrn*B promoters, quantitation of the effect of guanosine tetraphosphate on binding; transcriptional mapping of plasmid pKK3535, 433
lac repressor or RNA polymerase, bound, DNA, restriction and modification enzymes detect no allosteric changes, 611
Lanceolate fluke *Dicrocoelium dendriticum*, crystallographic data for haemoglobin, 641
L-arabinose-binding protein from *Escherichia coli*, structure at 2·4 Å resolution, 341
Length variation in the non-transcribed spacer of *Calliphora erythrocephala* ribosomal DNA is due to a 350 base-pair repeat, 179
Leone, E. (see also D'Allessio, G.), 269
Levinger, L., Barsoum, J. & Varshavsky, A., Two-dimensional hybridization mapping of nucleosomes. Comparison of DNA and protein patterns, 287
Libonati, M. (see also D'Allessio, G.), 269
Ligands, anionic, reactivity of ferric *Aplysia* myoglobin towards, in the acidic region; proposal for a structural model, 363
Liver alcohol dehydrogenase, liver, structure of a triclinic ternary complex at 2·9 Å resolution, 561
McGinness, T. & Wake, R. G., A fixed amount of chromosome replication needed for premature division septation in *Bacillus subtilis*, 173
Mapping of transcription units in the bacteriophage T4 tRNA gene cluster, 393
—, transcriptional, of plasmid pKK3535. Quantitation of the effect of guanosine tetraphosphate on binding to the *rrn*B promoters and a λ promoter with sequence homologies to the CII binding region, 433
—, two-dimensional hybridization, of nucleosomes; comparison of DNA and protein patterns, 287
Marvin, D. A. (see also Gray, D. A. (see also Gray, C. W.), 305, 621
Mayo, K. H., Carp hemoglobin. Functional analysis and thermodynamics of precise oxygen equilibria according to the simple sequential model of Koshland, Némethy and Filmer, 589
Membrane, major outer, porin proteins of *Escherichia coli* K12, the *ompB* locus and their regulation, 23
Meromyosin, light, the structure of spindle-shaped paracrystals, 201
Mesosome numbers and the cytoplasmic organization of *Streptococcus faecalis*, effect of chromosomal breaks induced by X-irradiation, 413
Mohana Rao, J. K. (see also Heuss, K. L.), 629, 635
Moody, M. F. (see also Foote, A. M.), 389
Murray, V. & Holliday, R., Increased error frequency of DNA polymerase from senescent human fibroblasts, 55

Muscle fibre, glycerinated, angles of nucleotides bound to cross-bridges at various concentrations of ϵ-ATP, ϵ-ADP and ϵ-AMPPNP detected by polarized fluorescence, 539
Mutants having small major tail protein molecules in their virion; structure and function of the major tail protein of bacteriophage lambda, 493
Mutations inactivating a Chi recombinational hotspot, 275
Myoglobin, *Aplysia*, ferric, reactivity towards anionic ligands in the acidic region; proposal for a structural model, 363

Neutron small-angle scattering study of the structure of the fd DNA–gene *5* protein complex in solution, 305
Nichols, B. P., Van Cleemput, M. & Yanofsky, C., Nucleotide sequence of *Escherichia coli trpE*. Anthranilate synthetase component I contains no tryptophan residues, 45
Nucleosomes, two-dimensional hybridization mapping; comparison of DNA and protein patterns, 287
ompB locus and the regulation of the major outer membrane porin proteins of *Escherichia coli* K12, 23
Oxygen equilibria, precise, for carp hemoglobin, functional analysis and thermodynamics according to the simple sequential model of Koshland, Némethy and Filmer, 589

Pancreatic trypsin inhibitor, basic, *S*-methylmethionyl; a study of refolding, 375
Parente, A. (see also D'Allessio, G.), 269
Parks, L. C., Dicker, D. T., Conger, A. D., Daneo-Moore, L. & Higgins, M. L., Effect of chromosomal breaks induced by X-irradiation on the number of mesosomes and the cytoplasmic organization of *Streptococcus faecalis*, 413
Parry, D. A. D., Analysis of the amino acid sequence of a tropomyosin-binding fragment from troponin-T, 259
Piekarowicz, A., Bickle, T. A., Shepherd, J. C. W. & Ineichen, K., The DNA sequence recognized by the *Hin*fIII restriction endonuclease, 167
pKK3535 (see also Plasmid), 433
Plasmid pKK3535, transcriptional mapping: quantitation of the effect of guanosine tetraphosphate on binding to the *rrn*B promoters and a λ promoter with sequence homologies to the CII binding region, 433
Polarized fluorescence study of angles of nucleotides bound to cross-bridges in glycerinated muscle fiber at various concentrations of ϵ-ATP, ϵ-ADP and ϵ-AMPPNP, 539
Porin protein regulation and the *ompB* locus, for *Escherichia coli* K12, 23
Protein and DNA patterns, a comparison; two-dimensional hybridization mapping of nucleosomes, 287
— gene codon occurrence, correlation with the abundance of *Escherichia coli* tRNAs, 1
—, L-arabinose-binding, from *Escherichia coli*, structure at 2·4 Å resolution, 341
—, major tail, of bacteriophage lambda, structure and function; mutants having small major tail protein molecules in their virion, 493
Proteins, conformational and geometrical properties of antiparallel and mixed β-sheets, 119
—, ——————— β-sheets; isotropically stressed configurations, 143
—, ——————— parallel β-sheets, 101
—, porin, major outer membrane, of *Escherichia coli* K12, the *ompB* locus and their regulation, 23

Quiocho, F. A. (see also Gilliland, G. L.), 341

Recombinational hotspot, Chi, clustering of inactivating mutations, 275
Reddy, E. S. P. (see also Bhargava, P. M.), 265
Refolding of *S*-methylmethionyl basic pancreatic trypsin inhibitor, 375
Replication, chromosome, a fixed amount needed for premature division septation in *Bacillus subtilis*, 173
Restriction endonuclease, *Hin*fIII, recognition of DNA sequence, 167
— and modification enzymes detect no allosteric changes in DNA with bound *lac* repressor or RNA polymerase, 611
RNA polymerase or *lac* repressor, bound, DNA, restriction and modification enzymes detect no allosteric changes, 611
—, ribosomal, accessibility and structure, monitored by slow tritium exchange of ribosomes, 241
—, 5 S ribosomal, of *Escherichia coli*, a slow tritium exchange study of the solution structure, 223

Ribosomal DNA of *Calliphora erythrocephala*, length variation in the non-transcribed spacer is due to a 350 base-pair repeat, 179
— RNA, accessibility and structure, monitored by slow tritium exchange of ribosomes, 241
— 5 S RNA, *Escherichia coli*, a slow tritium exchange study of the solution structure, 223
RNAase of bull semen, revisited, 269
— from seminal plasma, amino acid composition; a correction, 265
*rrn*B promoters and a λ promoter with sequence homologies to the CII binding region, quantitation of the effect of guanosine tetraphosphate on binding; transcriptional mapping of plasmid pKK3535, 433

Salemme, F. R., Conformational and geometrical properties of β-sheets in proteins. III. Isotropically stressed configurations, 143
— & Weatherford, D. W., ———————————. I. parallel β-sheets, 101
———————————————. II. Antiparallel and mixed β-sheets, 119
Samama, J.-P. (see also Eklund, H.), 561
Schäfer, M., Wyman, A. R. & White, R., Length variation in the non-transcribed spacer of *Calliphora erythrocephala* ribosomal DNA is due to a 350 base-pair repeat, 179
Scheit, K. H. (see also Bhargava, P. M.), 265
Schultz, D. W., Swindle, J. & Smith, G. R., Clustering of mutations inactivating a Chi recombinational hotspot, 275
Sea urchin oocyte extracts: structure of F-actin needles, 77
Semen, bull, RNAase revisited, 269
Seminal plasma RNAase, amino acid composition; a correction, 265
Senescent human fibroblast DNA polymerases show increased error frequency, 55
Sequence, amino acid, of a tropomyosin-binding fragment from troponin-T, 259
— of DNA recognized by the *Hin*fIII restriction endonuclease, 167
— — nucleotides of *Escherichia coli trpE*: anthranilate synthetase component I contains no tryptophan residues, 45
Shepherd, J. C. W. (see also Piekarowicz, A.), 167
Siegrist, H. (see also Torbet, J.), 305
Silhavy, T. J. (see also Hall, M. N.), 23
Sitaram, N. (see also Bhargava, P. M.), 265
S-methylmethionyl basic pancreatic trypsin inhibitor, refolding, 375
Smit, J. D. G. & Winterhalter, K. H., Crystallographic data for haemoglobin from the lanceolate fluke *Dicrocoelium dendriticum*, 641
Smith, G. R. (see also Schultz, D. W.), 275
—, H. O. (see also Frankel, A. D.), 611
Spindle-shaped paracrystals of light meromyosin, studies of the structure, 201
Streptococcus faecalis, effect of chromosomal breaks induced by X-irradiation on the number of mesosomes and the cytoplasmic organization, 413
Structure and accessibility of ribosomal RNA monitored by slow tritium exchange of ribosomes, 241
— — function of the major tail protein of bacteriophage lambda: mutants having small major tail protein molecules in their virion, 493
— of F-actin needles from extracts of sea urchin oocytes, 77
— — the fd DNA–gene *5* protein complex in solution; a neutron small-angle scattering study, 305
— — the L-arabinose-binding protein from *Escherichia coli* at 2·4 Å resolution, 341
— — spindle-shaped paracrystals of light meromyosin, 201
— — a triclinic ternary complex of horse liver alcohol dehydrogenase at 2·9 Å resolution, 561
—, solution, of *Escherichia coli* 5 S rRNA, a slow tritium exchange study, 223
Suzuki, H. (see also D'Allessio, G.), 269
Swindle, J. (see also Schultz, D. W.), 275

T4 (see also Bacteriophage), 393
Tail protein, major, of bacteriophage lambda, structure and function; mutants having small major tail protein molecules in their virion, 493
Taylor, A. R. (see also Kingston, R. E.), 433
Thomas, J. O. (see also Caron, F.), 513
Torbet, J., Gray, D. M., Gray, C. W., Marvin, D. A. & Siegrist, H., Structure of the fd DNA–gene *5* protein complex in solution. A neutron small-angle scattering study, 305

Transcription, *int* gene, regulation by bacteriophage λ. Location of the RNA start generated by an *int* constitutive mutation, 157
— unit mapping in the bacteriophage T4 tRNA gene cluster, 393
Transcriptional mapping of plasmid pKK3535. Quantitation of the effect of guanosine tetraphosphate on binding to the *rrn*B promoters and a λ promoter with sequence homologies to the CII binding region, 433
Transfer RNA gene cluster of bacteriophage T4, mapping of transcription units, 393
— RNAs of *Escherichia coli*, correlation between their abundance and the occurrence of the respective codons in the protein genes, 1
Tritium exchange, slow, of ribosomes, accessibility and structure of ribosomal RNA, 241
— —, slow, study of the solution structure of *Escherichia coli* 5 S ribosomal RNA, 223
Tropomyosin-binding fragment from troponin-T, analysis of the amino acid sequence, 259
Troponin-T, analysis of the amino acid sequence of a tropomyosin-binding fragment, 259
trpE, *Escherichia coli*, the nucleotide sequence; anthranilate synthetase component I contains no tryptophan residues, 45
Trypsin inhibitor, pancreatic, basic, *S*-methylmethionyl; a study of refolding, 375
Tryptophan residues are not contained in anthranilate synthetase component I; nucleotide sequence of *Escherichia coli trpE*, 45

Van Cleemput, M. (see also Nichols, B. P.), 45
Varshavsky, A. (see also Levinger, L.), 287
Virus, belladonna mottle, crystallization, 629
—, cowpea chlorotic mottle, crystallization, 635
—, filamentous fd, adsorption complex, 621

Wake, R. G. (see also McGinness, T.), 173
Wallén, L. (see also Eklund, H.), 561
Weatherford, D. W. (see also Salemme, F. R.), 101, 119
White, R. (see also Schäfer, M.), , 179
Winkler, F. K. (see also Foote, A. M.), 389
Winterhalter, K. H. (see also Smit, J. D. G.), 641
Wyman, A. R. (see also Schäfer, M.), 179

X-irradiation-induced chromosomal breaks, effect on the number of mesosomes and the cytoplasmic organization of *Streptococcus faecalis*, 413
X-ray study, preliminary, and crystallization of the catalytic subunit of aspartate transcarbamylase, 389

Yanagida, T., Angles of nucleotides bound to cross-bridges in glycerinated muscle fiber at various concentrations of ε-ATP, ε-ADP and ε-AMPPNP detected by polarized fluorescence, 539
Yanofsky, C. (see also Nichols, B. P.), 45